Author Index Vol. 661

Agostini, O. and Toja, E.
Determination of a new antibronchospastic agent, MX2/120, in guinea pig plasma by high-performance liquid chromatography in a pharmacokinetic study 661(1994)313
Akiyama, S., see Nakashima, K. 661(1994)205
Aoki, I., see Yamaguchi, M. 661(1994)93
Aoki, I., see Yamaguchi, M. 661(1994)168
Arnold, K., see Wiegel, D. 661(1994)159
Balizs, G., Benesch-Girke, L., Börner, S. and Hewitt, S.A.
Comparison of the determination of four sulphonamides and their N^4-acetyl metabolites in swine muscle tissue using liquid chromatography with ultraviolet and mass spectral detection 661(1994)75
Barra, J., Taburet, A.M., Jardel, A., Fessi, H. and Puisieux, F.
High-performance liquid chromatographic assay for the simultaneous determination of ethyl clofibrate and clofibric acid in plasma. Evaluation of plasma stability of ethyl clofibrate polylactic nanocapsules in human and rat plasmas 661(1994)178
Becue, T., see Cong, H.N. 661(1994)193
Belz, S., Frickel, C., Wolfrom, C., Nau, H. and Henze, G.
High-performance liquid chromatographic determination of methotrexate, 7-hydroxymethotrexate, 5-methyltetrahydrofolic acid and folinic acid in serum and cerebrospinal fluid 661(1994)109
Benesch-Girke, L., see Balizs, G. 661(1994)75
Benet, L.Z., see Iwaki, M. 661(1994)154
Bertaux, O., see Cong, H.N. 661(1994)193
Biou, D., see Cong, H.N. 661(1994)193
Bjorksten, A.R., see Jones, D.J. 661(1994)165
Bode-Böger, S.M., see Tsikas, D. 661(1994)185
Böger, R.H., see Tsikas, D. 661(1994)185
Boppana, V.K., see Miller-Stein, C. 661(1994)291
Börner, S., see Balizs, G. 661(1994)75
Brown, L.W., see Van der Merwe, P.J. 661(1994)357
Burle, J., see Rop, P.P. 661(1994)245
Charles, B., see Inoue, S. 661(1994)15
Chauhan, P.B., see Jones, G.D. 661(1994)119
Chen, S.
Partial characterization of the molecular species of phosphatidylserine from human plasma by high-performance liquid chromatography and fast atom bombardment mass spectrometry 661(1994)1
Chien, B.M., see Wong, Y.N. 661(1994)211
Chou, S.-T., see Yang, C.-S. 661(1994)231
Chu, S.-y., see Tzeng, T.-B. 661(1994)299
Cong, H.N., Bertaux, O., Valencia, R., Becue, T., Fournier, T., Biou, D. and Porquet, D.
Separation and characterization of the main methylated nucleobases from nuclear, cytoplasmic and poly $(A)^+$ RNA by high-performance liquid chromatography and mass spectrometry 661(1994)193
Conte, L., see Nieto, C. 661(1994)319
Creemers, M.C.W., see Russel, F.G.M. 661(1994)173
Dangi, R.S., Jeevaratnam, K., Sugendran, K., Malhotra, R.C. and Raghuveeran, C.D.
Solid-phase extraction and reversed-phase high-performance liquid chromatographic determination of sulphur mustard in blood 661(1994)341
Danielson, T.J., see Taylor, W.G. 661(1994)327
De Leenheer, A.P., see Huo, J.-Z. 661(1994)69
Demme, U., see Tenczer, J. 661(1994)47
De Saint Leger, M.N., see Rop, P.P. 661(1994)245
D'mello, A.P., see Wong, Y.N. 661(1994)211
Edeki, T.I., see He, H. 661(1994)351
Elliott, H.G., see Smith, K.D. 661(1994)7
Elliott, M.A., see Smith, K.D. 661(1994)7
Facchini, V., see Jones, G.D. 661(1994)119
Fernández, J.M., see Nieto, C. 661(1994)319
Fessi, H., see Barra, J. 661(1994)178
Fischer, C. and Klotz, U.
Radical-derived oxidation products of 5-aminosalicylic acid and *N*-acetyl-5-aminosalicylic acid 661(1994)57
Forn, J., see Nieto, C. 661(1994)319
Fournier, T., see Cong, H.N. 661(1994)193
Frickel, C., see Belz, S. 661(1994)109
Frölich, J.C., see Tsikas, D. 661(1994)185
Gribnau, F.W.J., see Russel, F.G.M. 661(1994)173
Grimaldi, F., see Rop, P.P. 661(1994)245
Gunraj, P.E., see Jones, G.D. 661(1994)119
Gupta, R.N.
Column liquid chromatographic determination of paroxetine in human serum using solid-phase extraction 661(1994)362
Gutzki, F.-M., see Tsikas, D. 661(1994)185
Haegele, K.D., see Sanwald, P. 661(1994)101
Hansen-Møller, J.
Rapid high-performance liquid chromatographic method for simultaneous determination of androstenone, skatole and indole in back fat from pigs 661(1994)219
Harada, T., see Inoue, S. 661(1994)15
Hartwick, R.A., see Sun, P. 661(1994)335
Hayashi, H., see Iwaki, M. 661(1994)154
He, H., Edeki, T.I. and Wood, A.J.J.
Determination of low plasma timolol concentrations following topical application of timolol eye drops in humans by high-performance liquid chromatography with electrochemical detection 661(1994)351
Hendrikz, S.E., see Van der Merwe, P.J. 661(1994)357
Henze, G., see Belz, S. 661(1994)109
Hewitt, S.A., see Balizs, G. 661(1994)75
Hidaka, Y., see Nakashima, K. 661(1994)205
Hoff, T.A., see Jones, G.D. 661(1994)119
Hoops, A., see Sun, P. 661(1994)335
Hoshino, M., Yajima, K., Suzuki, Y. and Okahira, A.
Determination of nadolol diastereomers in dog plasma using chiral derivatization and reversed-phase high-performance liquid chromatography with fluorescence detection 661(1994)281

Howald, W.N., see Neal, J.M. 661(1994)263
Hsieh, J.Y.-K., Lin, C. and Matuszewski, B.K.
Robotic sample preparation and high-performance liquid chromatographic analysis of verlukast in human plasma 661(1994)307
Huebert, N.D., see Sanwald, P. 661(1994)101
Huo, J.-Z., Van Bocxlaer, J., Lambert, W.E. and De Leenheer, A.P.
Determination of embutramide in biological matrices by gas chromatography with nitrogen–phosphorus detection 661(1994)69
Igwemezie, L., see Kwok, D.K.W. 661(1994)271
Imai, J., Murayama, K., Kawai, M., Yamaguchi, S. and Matsuura, K.
Determination of 8-methyl ether of xanthurenic acid in human urine by high-performance liquid chromatography 661(1994)149
Inokuma, M., see Inoue, S. 661(1994)15
Inoue, S., Inokuma, M., Harada, T., Shibutani, Y., Yoshitake, T., Charles, B., Ishida, J. and Yamaguchi, M.
Simultaneous high-performance liquid chromatographic determination of 6β-hydroxycortisol and cortisol in urine with fluorescence detection and its application for estimating hepatic drug-metabolizing enzyme induction 661(1994)15
Ishida, J., see Inoue, S. 661(1994)15
Iwaki, M., Ogiso, T., Hayashi, H., Lin, E.T. and Benet, L.Z.
Simultaneous measurement of nicotinic acid and its major metabolite, nicotinuric acid in urine using high-performance liquid chromatography: application of solid–liquid extraction 661(1994)154
Jardel, A., see Barra, J. 661(1994)178
Jeevaratnam, K., see Dangi, R.S. 661(1994)341
Jones, D.J. and Bjorksten, A.R.
Detection of ketorolac enantiomers in human plasma using enantioselective liquid chromatography 661(1994)165
Jones, G.D., Hoff, T.A., Gunraj, P.E., Facchini, V. and Chauhan, P.B.
Assay and single dose pharmacokinetics of a novel systemic acyl coenzyme A cholesterol O-acyltransferase inhibitor, RP 73163, in rat plasma using automated solid-phase extraction with high-performance liquid chromatography 661(1994)119
Kawai, M., see Imai, J. 661(1994)149
Kerr, C.R., see Kwok, D.K.W. 661(1994)271
Klotz, U., see Fischer, C. 661(1994)57
Kokue, E., see Shin, H.-C. 661(1994)237
Kok, W.Th., see Xu, X. 661(1994)35
Köppel, C., see Tenczer, J. 661(1994)47
Kraak, J.C., see Xu, X. 661(1994)35
Kunze, K.L., see Neal, J.M. 661(1994)263
Kuo, J.-S., see Yang, C.-S. 661(1994)231
Kuroda, N., see Nakashima, K. 661(1994)205
Kwok, D.K.W., Igwemezie, L., Kerr, C.R. and McErlane, K.M.
High-performance liquid chromatographic analysis using a highly sensitive fluorogenic reagent, 2-anthroyl chloride, and stereoselective determination of the enantiomers of mexiletine in human serum 661(1994)271
Lai, J.-S., see Yang, C.-S. 661(1994)231
Lambert, W.E., see Huo, J.-Z. 661(1994)69
Lappenberg-Pelzer, M., see Tenczer, J. 661(1994)47
Lawrence, R.F., see Neal, J.M. 661(1994)263
Lennard, L. and Singleton, H.J.
High-performance liquid chromatographic assay of human red blood cell thiopurine methyltransferase activity 661(1994)25
Liao, W.-P., see Yi, Y.-H. 661(1994)143
Lin, C., see Hsieh, J.Y.-K. 661(1994)307
Lin, E.T., see Iwaki, M. 661(1994)154
Lin, N.-N., see Yang, C.-S. 661(1994)231
Liu, L., see Yang, C.-S. 661(1994)231
Lu, X., see Yi, Y.-H. 661(1994)143
Malhotra, R.C., see Dangi, R.S. 661(1994)341
Matsuura, K., see Imai, J. 661(1994)149
Matuszewski, B.K., see Hsieh, J.Y.-K. 661(1994)307
McErlane, K.M., see Kwok, D.K.W. 661(1994)271
McLaughlin, C.M., see Smith, K.D. 661(1994)7
Meyer, C., see Wiegel, D. 661(1994)159
Miller-Stein, C., Boppana, V.K. and Rhodes, G.R.
High-performance liquid chromatographic determination of the N-ethyl tricarbamate ester prodrug of fenoldopam utilizing simultaneous post-column hydrolysis and fluorescence derivatization 661(1994)291
Mino, T., see Shimada, K. 661(1994)85
Monji, H., see Yamaguchi, M. 661(1994)93
Monji, H., see Yamaguchi, M. 661(1994)168
Murayama, K., see Imai, J. 661(1994)149
Nakajima, M., see Shimada, K. 661(1994)85
Nakashima, K., Hidaka, Y., Yoshida, T., Kuroda, N. and Akiyama, S.
High-performance liquid chromatographic determination of short-chain aliphatic aldehydes using 4-(N,N-dimethylaminosulphonyl)-7-hydrazino-2,1,3-benzoxadiazole as a fluorescence reagent 661(1994)205
Nau, H., see Belz, S. 661(1994)109
Neal, J.M., Howald, W.N., Kunze, K.L., Lawrence, R.F. and Trager, W.F.
Application of negative-ion chemical ionization isotope dilution gas chromatography–mass spectrometry to single-dose bioavailability studies of mefloquine 661(1994)263
Nieto, C., Ramis, J., Conte, L., Fernández, J.M. and Forn, J.
On-line fully automated solid-phase extraction–liquid chromatography analysis of 1,2-dihydro-4-(1,2-dihydro-2-oxo-1-pyridyl)-2,2-dimethyl-1-oxonaphthalene-6-carbonitrile (UR-8225), a new potassium channel opener, in plasma samples 661(1994)319
Norris, R.L.G., Ravenscroft, P.J. and Pond, S.M.
Sensitive high-performance liquid chromatographic assay with ultraviolet detection of methadone enantiomers in plasma 661(1994)346
Ogiso, T., see Iwaki, M. 661(1994)154
Okahira, A., see Hoshino, M. 661(1994)281
Orcutt, R.L., see Taylor, W.G. 661(1994)327
Park, J.-S., see Shin, H.-S. 661(1994)255
Park, P.-B., see Shin, H.-S. 661(1994)255
Pond, S.M., see Norris, R.L.G. 661(1994)346
Poppe, H., see Xu, X. 661(1994)35
Porquet, D., see Cong, H.N. 661(1994)193

Puisieux, F., see Barra, J. 661(1994)178
Raghuveeran, C.D., see Dangi, R.S. 661(1994)341
Ramis, J., see Nieto, C. 661(1994)319
Ravenscroft, P.J., see Norris, R.L.G. 661(1994)346
Rhodes, G.R., see Miller-Stein, C. 661(1994)291
Rivory, L.P. and Robert, J.
Reversed-phase high-performance liquid chromatographic method for the simultaneous quantitation of the carboxylate and lactone forms of the camptothecin derivative irinotecan, CPT-11, and its metabolite SN-38 in plasma 661(1994)133
Robert, J., see Rivory, L.P. 661(1994)133
Rop, P.P., Grimaldi, F., Burle, J., De Saint Leger, M.N. and Viala, A.
Determination of 6-monoacetylmorphine and morphine in plasma, whole blood and urine using high-performance liquid chromatography with electrochemical detection 661(1994)245
Russel, F.G.M., Creemers, M.C.W., Tan, Y., Van Riel, P.L.C.M. and Gribnau, F.W.J.
Ion-pair solid-phase extraction of cimetidine from plasma and subsequent analysis by high-performance liquid chromatography 661(1994)173
Sanwald, P., Huebert, N.D. and Haegele, K.D.
Simultaneous measurement of the major metabolites of dolasetron mesilate in human urine using solid-phase extraction and high-performance liquid chromatography 661(1994)101
Schneider, V., see Tenczer, J. 661(1994)47
Shibutani, Y., see Inoue, S. 661(1994)15
Shimada, K., Mino, T., Nakajima, M., Wakabayashi, H. and Yamato, S.
Application of the desulfurization of phenothiazines for a sensitive detection method by high-performance liquid chromatography 661(1994)85
Shimoda, M., see Shin, H.-C. 661(1994)237
Shin, H.-C., Shimoda, M. and Kokue, E.
Identification of 5,10-methylenetetrahydrofolate in rat bile 661(1994)237
Shin, H.-S., Park, J.-S., Park, P.-B. and Yun, S.J.
Detection and identification of famprofazone and its metabolite in human urine 661(1994)255
Singleton, H.J., see Lennard, L. 661(1994)25
Smith, K.D., Elliott, M.A., Elliott, H.G., McLaughlin, C.M., Wightman, P. and Wood, G.C.
Heterogeneity of α_1-acid glycoprotein in rheumatoid arthritis 661(1994)7
Stamm, G., see Tzeng, T.-B. 661(1994)299
Sugendran, K., see Dangi, R.S. 661(1994)341
Sun, P., Hoops, A. and Hartwick, R.A.
Enhanced albumin protein separations and protein–drug binding constant measurements using anti-inflammatory drugs as run buffer additives in affinity capillary electrophoresis 661(1994)335
Suzuki, Y., see Hoshino, M. 661(1994)281
Taburet, A.M., see Barra, J. 661(1994)178
Tan, Y., see Russel, F.G.M. 661(1994)173
Taylor, W.G., Danielson, T.J. and Orcutt, R.L.
Thin-layer chromatographic detection of ivermectin in cattle serum 661(1994)327
Tenczer, J., Lappenberg-Pelzer, M., Schneider, V., Demme, U. and Köppel, C.
Fatal poisoning with detajmium: identification of detajmium and its metabolites and artifacts by gas chromatography–mass spectrometry and quantification by high-performance liquid chromatography 661(1994)47
Toja, E., see Agostini, O. 661(1994)313
Trager, W.F., see Neal, J.M. 661(1994)263
Tsai, P.-J., see Yang, C.-S. 661(1994)231
Tsikas, D., Böger, R.H., Bode-Böger, S.M., Gutzki, F.-M. and Frölich, J.C.
Quantification of nitrite and nitrate in human urine and plasma as pentafluorobenzyl derivatives by gas chromatography–mass spectrometry using their ^{15}N-labelled analogs 661(1994)185
Tzeng, T.-B., Stamm, G. and Chu, S.-y.
Sensitive method for the assay of sertindole in plasma by high-performance liquid chromatography and fluorimetric detection 661(1994)299
Valencia, R., see Cong, H.N. 661(1994)193
Van Bocxlaer, J., see Huo, J.-Z. 661(1994)69
Van der Merwe, P.J., Brown, L.W. and Hendrikz, S.E.
Simultaneous quantification of ephedrines in urine by high-performance liquid chromatography 661(1994)357
Van Riel, P.L.C.M., see Russel, F.G.M. 661(1994)173
Viala, A., see Rop, P.P. 661(1994)245
Wakabayashi, H., see Shimada, K. 661(1994)85
Wiegel, D., Meyer, C. and Arnold, K.
Partitioning of high-density lipoproteins in charge-sensitive two-phase systems 661(1994)159
Wightman, P., see Smith, K.D. 661(1994)7
Wolfrom, C., see Belz, S. 661(1994)109
Wong, Y.N., Chien, B.M. and D'mello, A.P.
Analysis of corticosterone in rat plasma by high-performance liquid chromatography 661(1994)211
Wood, A.J.J., see He, H. 661(1994)351
Wood, G.C., see Smith, K.D. 661(1994)7
Xu, X., Kok, W.Th., Kraak, J.C. and Poppe, H.
Simultaneous determination of urinary creatinine, calcium and other inorganic cations by capillary zone electrophoresis with indirect ultraviolet detection 661(1994)35
Yajima, K., see Hoshino, M. 661(1994)281
Yamaguchi, M., Monji, H., Aoki, I. and Yashiki, T.
High-performance liquid chromatographic determination of phenylephrine in human serum using column switching with fluorescence detection 661(1994)93
Yamaguchi, M., Monji, H., Yamashita, K., Aoki, I. and Yashiki, T.
Sensitive high-performance liquid chromatographic determination of chlorpheniramine in human serum using column switching 661(1994)168
Yamaguchi, M., see Inoue, S. 661(1994)15
Yamaguchi, S., see Imai, J. 661(1994)149
Yamashita, K., see Yamaguchi, M. 661(1994)168
Yamato, S., see Shimada, K. 661(1994)85

Yang, C.-S., Chou, S.-T., Lin, N.-N., Liu, L., Tsai, P.-J., Kuo, J.-S. and Lai, J.-S.
Determination of extracellular glutathione in rat brain by microdialysis and high-performance liquid chromatography with fluorescence detection
661(1994)231
Yashiki, T., see Yamaguchi, M. 661(1994)93
Yashiki, T., see Yamaguchi, M. 661(1994)168
Yi, Y.-H., Liao, W.-P. and Lu, X.
Simultaneous determination of tryptophan, 5-hydroxytryptophan, 5-hydroxytryptamine, 5-hydroxyindoleacetic acid, 4-hydroxy-3-methoxyphenylacetic acid and 3-methoxy-4-hydroxyphenylglycol in human cerebrospinal fluid
661(1994)143
Yoshida, T., see Nakashima, K. 661(1994)205
Yoshitake, T., see Inoue, S. 661(1994)15
Yun, S.J., see Shin, H.-S. 661(1994)255